

Avolve Software

System Use Requirements

ProjectDox Component Customer Installation Version 8.x +



System Use Requirements

Contents

POP-UP BLOCKER (IE)	4
CONFIGURE POP-UP BLOCKER IN IE	4
PROJECTDOX COMPONENT INSTALLATION	5
ADD AS TRUSTED SITE	6
DISABLE UAC (User Account Control).....	7
INSTALLATION OF SILVERLIGHT	9
INSTALLATION OF VIEWER COMPONENT (IE).....	13
COMPONENT TROUBLESHOOTING	14
UNABLE TO BATCH UPLOAD.....	14
FILE VIEWING ISSUE	16



System Use Requirements

Welcome to **ProjectDox** .Before using the ProjectDox System for the first time please verify the following items are disabled and/or installed on your system. The following pages will provide you information on how to configure these items for access to collaborate and review your information electronically 24 X 7.

- Pop-up Blocker Disabled (if applicable)
- ProjectDox Components Installed

POP-UP BLOCKER (IE)


ProjectDox uses pop-up windows (browser windows with no toolbars). If you log in, but no ProjectDox window appears, or a warning is received, you probably have a pop-up blocker that is preventing the main project window from opening. You need to allow ALL pop-ups for the ProjectDox site. You can do this in one of two ways:

1. Disable pop-up blockers entirely
2. Configure blocker to allow pop-ups for specified sites


The following instructions will allow pop-ups from the ProjectDox site within Internet Explorer. If after configuring the pop-up blocker in IE, you still receive the warning message from the ProjectDox application, verify your system has no other pop-up blockers installed. For instance, if the Google Search bar is installed, it contains its own pop-up blocker that will need to be disabled. In some cases, anti-virus software can cause similar behavior. If you verify all pop-up blockers are disabled and you continue to have issues check your system anti-virus logs to see if that software may be blocking the site from displaying. If the anti-virus is blocking the installation, add the necessary exceptions.

CONFIGURE POP-UP BLOCKER IN IE


1. Navigate to Internet Options for your version of Internet Explorer (IE). Instructions below are based on IE9.
 - a. Select the Gears icon seen in blue.
 - b. Select Internet Options




2. Click the **Privacy** Tab to set-up an exception for the ProjectDox site.



- a. Click the Settings button



- b. In the Pop-Up Blocker Settings Window, enter the ProjectDox site URL.




- c. Click the **Add** button
- d. Click to Close the Pop-up Blocker Settings window.
- e. Click the **OK** button for the Internet Option window.

PROJECTDOX COMPONENT INSTALLATION

ProjectDox requires the installation of ActiveX controls to be able to perform certain actions: Uploading Files, Downloading Files, Viewing Files, and Viewing Help Information. There are two ways users can install the controls:

1. The link to an MSI file for installing the ActiveX controls is available from the login screen.



2. If permissions for the PC allow ActiveX download and installation, the user may elect to install the components for the four respective actions the first time each is performed.

If using the MSI from the login page, the user can accept the defaults to run the MSI and install the controls. If not using the MSI, then after logging in to the site, the user will be prompted by the browser to install the ActiveX control (yellow bar at top of the screen or at the bottom of the screen depending on system version) when attempting to perform any of the above actions. If the user's network requires


Administrative access to download ActiveX controls, the user will NOT be prompted nor will the MSI on the login screen install. The user will need to contact their network administrator to get access to download these controls.

Before installing the components, verify the items below. Instructions are provided in the following sections on how to add the site as Trusted, and how to temporarily disable UAC.


1. Add ProjectDox site as a Trusted Site
2. Disable UAC (Vista and Windows7 users only)
3. Recommend Admin/Power User Rights to PC for proper installation
4. Verify System Requirements for Silverlight Control.

ADD AS TRUSTED SITE


1. Click on the **Tools** menu in Internet Explorer and select **Internet Options**



2. In the Internet Options dialog box, click the **Security** tab
3. In the Security tab, click the **Trusted Sites** icon and then the **Sites...** button



4. Type in the main URL for the site you are trying to view, for example:




5. Click the **Add** button to add the site to the list.
6. Click the Close button to close the Trusted Sites dialog.
7. Click OK to close the Internet Options window.

DISABLE UAC (User Account Control)


Disabling of the UAC control should be discussed with your network administrator prior to making changes to your system if applicable. In all cases, after the installation is complete and each of the actions have been performed once (uploading files, viewing files, downloading files, and viewing help, as applicable) the UAC control can be returned to the former setting.

1. From the Control Panel, open **User Accounts**.



System Use Requirements

2. Click the “Turn User Account Control on or off” (Vista) or “Change User Account Control Settings” (Windows7) link.
3. Update the UAC by following the below:
 - **VISTA:** In the “Turn on User Account Control (UAC) to make your computer more secure” options screen, clear the checkbox for “Use User Account Control (UAC) to help protect your computer”.
 - **WINDOWS7:** Click and drag the slide control to “**Never Notify**”.



4. Click “**OK**” and restart the system.

Note: The system must be restarted for the UAC changes to take effect.

Note: The User's permissions level/rights will affect how the UAC works.

Note: After successful installation and one time usage of the ProjectDox Components, the system's **UAC** control can be returned to the former setting. A reboot will be required for the change to take effect.




System Use Requirements

INSTALLATION OF SILVERLIGHT (Batch and Drag –n-Drop Upload Capabilities)

ProjectDox provides a default upload component with no additional installation required. It is limited to five (5) file uploads selecting a single file for each row. An example of this default component is seen below and accessed when the **Upload Files** button is selected from a folder.

Batch upload capability, along with the “Drag-n-Drop” feature for uploading, is available with the installation of the Silverlight Control. The below instructions will walk the user through installation and list the system requirements.



1. Verify your system requirements

- Make sure you are running a Silverlight-compatible operating system and browser, and that you have uninstalled any previous version of Silverlight.



System Use Requirements

For Windows Internet Explorer users:

Browsers Supported:

Operating System	Internet 9	Internet 8	Internet 7	Internet 6	Firefox 3+	Safari 3+	Chrome 4+
Windows7			-	-		-	
Windows Vista				-		-	
Windows XP SP2, SP3	-					-	
Windows 2000 SP4 + KB 891861	-	-	-		-	-	-

For Macintosh users:

If you are installing Silverlight on a Macintosh system, the following requirements must be met:

- Silverlight versions after 1.0 run only on Intel processor based Macintosh (not PCC processor)
- Minimum Intel Core Due 1.83-gigahertz (GHz) or higher processor with 512-MB of RAM


Mac System requirements for Silverlight 5

Silverlight Version	Operating System	Firefox 3+	Firefox 3.6+	Safari 3+	Safari 4+
Silverlight 5	Macintosh OS 10.5.7 + (Intel-based)	-		-	

Mac System requirements for Silverlight 4

Silverlight Version	Operating System	Firefox 3+	Firefox 3.6+	Safari 3+	Safari 4+
Silverlight 4	Macintosh OS 10.4.11+ (Intel-based)		-		-

2. Click the link ***"Install Silverlight Now"*** to download and install. Download also available at: <http://www.microsoft.com/getsilverlight/Get-Started/Install/Default.aspx>



Upload files:(Drag-n-drop available for Silverlight only)

<input type="text"/>	<input type="button" value="Browse..."/>
<input type="text"/>	<input type="button" value="Browse..."/>
<input type="text"/>	<input type="button" value="Browse..."/>
<input type="text"/>	<input type="button" value="Browse..."/>
<input type="text"/>	<input type="button" value="Browse..."/>

To use the enhanced upload tool, including drag and drop, please download the Silverlight application framework. [Install Silverlight Now](#)

Upload URL:


URL Display Name:

URL:


For Mozilla Firefox users:

- Save Silverlight.exe control to your hard disk.
 - Once the download is finished, click Open.
 - The installation starts.
3. If prompted, the user may click to **Save** the Silverlight.exe to their desktop, or click **Run** to install the component without saving and download to their system.
 4. Click '**Install now**' after reviewing the license agreement and privacy statement.

System Use Requirements




You can now use Silverlight.




INSTALLATION OF VIEWER COMPONENT (IE)

If not installing from the login page, and using the prompts when opening a file for the first time, the below screen will display with a white background instead of the selected file.

- Look for the ActiveX tool bar at the top or bottom (Depends on operating system) of the page.
- Click **Allow** to allow the installation of the *BravaClientX* Module.



- After successful installation, the file can be selected again to be viewed.





System Use Requirements


COMPONENT TROUBLESHOOTING

The following section reviews common issues with the installation of the components, along with recommendations for resolution. Most issues are related to lack of permissions to install the required components on the PC, or the enabling of the UAC during the installation process.

UNABLE TO BATCH UPLOAD

ISSUE:

Unable to upload more than a single file at a time to the upload files box.




RESOLUTION STEPS

- Install the Silverlight Control to allow for batch and drag-n-drop upload. The installer can be obtained from the link “**Install Silverlight Now**”.



System Use Requirements


Successfully installed Silverlight control will provide a screen like the one below (metadata section is optional, depending on project configuration):



FILE VIEWING ISSUE

Issue:

User selects to view a file or view a markup on a file. A blank white window or a blank white window with a small box in the upper left window appears.



RESOLUTION STEPS


First Time User:

- If running Vista or Windows 7, verify that UAC is disabled. If UAC was enabled during the installation, disable UAC (including the reboot), uninstall the components, and delete the IGC folder from your profile before re-installing.
- Verify the ProjectDox site is in your list of "**Trusted Sites**".
- If issues persist, increase the permissions for the user account on the PC to Admin/Power User Rights. This should allow the components to download.

Return User:

- If installing updated components as a result of a ProjectDox upgrade ensure that the former Components have been uninstalled by uninstalling the ProjectDox Components from the Control Panel.
 - Delete from your profile the contents of the IGC folder C:\Users\YourProfileName\[x6_0 or x7_0]
 - X6_0 is for ProjectDox versions 7.2-7.5
 - X70_ is for the ProjectDox Versions 7.7

System Use Requirements



- If running Vista or Windows7, verify that UAC is disabled. If UAC was enabled during the installation, disable UAC (including reboot), then uninstall the components, and delete the IGC folder from your profile before re-installing.
- Verify the ProjectDox site is in your list of “**Trusted Sites**”.
- If issues persist, increase the permissions for the user account on the PC to Admin/Power User Rights. This should allow the components to download.

Once the components are successfully installed when a file is selected for viewing, it should appear with the image in the new window or in the frame of the application.

